




Industrial Land Use Map

- 🖈 Points of Interest Commercial Services

- ** Points of Interest Recreational and Environmental

Industrial Land Use Map - Slice A



230178532_1_1 19.12.021 National Grid Reference: 447200, 165220

0.61 1000


Newbury College, Monks Lane, NEWBURY, RG14 7TD


Α

Landmark

0844 844 9952 0844 844 9951 www.envirocheck.co.uk

A Landmark Information Group Service v50.0 10-Jan-2020 Page 2 of 6







General

N Specified Site

Specified Buffer(s)

X Bearing Reference Point

8 Map ID

Several of Type at Location

Agency and Hydrological (Boreholes)

BGS Borehole Depth 0 - 10m

BGS Borehole Depth 10 - 30m

BGS Borehole Depth 30m +


Confidential

Other

For Borehole information please refer to the Borehole .csv file which accompanied this slice.

A copy of the BGS Borehole Ordering Form is available to download from the Support section of www.envirocheck.co.uk.

Borehole Map - Slice A



Order Details

Order Number: 230178532_1_1
Customer Ref: 19.12.021
National Grid Reference: 447200, 165220

Slice:

Site Area (Ha): 0.61 Search Buffer (m): 1000

Site Details


Newbury College, Monks Lane, NEWBURY, RG14 7TD


Α


Landmark®
INFORMATION GROUP


Tel: 0844 844 9952 Fax: 0844 844 9951 Web: www.envirocheck.co.uk


A Landmark Information Group Service v50.0 10-Jan-2020 Page 4 of 6

















Geology 1:50,000 Maps Legends

Artificial Ground and Landslip

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	LSGR	Landscaped Ground (Undivided)	Artificially Modified Ground	Not Supplied - Holocene
	WGR	Worked Ground (Undivided)	Void	Not Supplied - Holocene
	WMGR	Infilled Ground	Artificial Deposit	Not Supplied - Holocene

Superficial Geology

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	ALV	Alluvium	Clay, Silt, Sand and Gravel	Not Supplied - Holocene
	T1T2	River Terrace Deposits, 1 to 2	Sand and Gravel	Not Supplied - Holocene
	BGGR	Beenham Grange Gravel Member	Sand and Gravel	Not Supplied - Devensian
	THGRL	Lower Thatcham Gravel	Sand and Gravel	Not Supplied - Wolstonian
	THGRU	Upper Thatcham Gravel	Sand and Gravel	Not Supplied - Wolstonian
	SIGR	Silchester Gravel Member	Sand and Gravel	Not Supplied - Anglian
	PEAT	Peat	Peat	Not Supplied - Quaternary
	HEAD	Head	Clay, Silt, Sand and Gravel	Not Supplied - Quaternary
	T6T8	River Terrace Deposits, 6 to 8	Sand and Gravel	Not Supplied - Quaternary

Bedrock and Faults

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	LC	London Clay Formation	Sand	Not Supplied - Ypresian
	LC	London Clay Formation	Clay, Silt and Sand	Not Supplied - Ypresian
	LMBE	Lambeth Group	Clay, Silt and Sand	Not Supplied - Thanetian
	SECK	Seaford Chalk Formation	Chalk	Not Supplied - Coniacian



Geology 1:50,000 Maps

This report contains geological map extracts taken from the BGS Digital Geological map of Great Britain at 1:50,000 scale and is designed for users carrying out preliminary site assessments who require geological maps for the area around the site. This mapping may be more up to date than previously published paper maps.

The various geological layers - artificial and landslip deposits, superficial geology and solid (bedrock) geology are displayed in separate maps, but superimposed on the final 'Combined Surface Geology' map. All map legends feature on this page. Not all layers have complete nationwide coverage, so availability of data for relevant map sheets is indicated below.

Geology 1:50,000 Maps Coverage

 Map ID:
 1

 Map Sheet No:
 267

 Map Name:
 Newbury

 Map Date:
 2006

 Bedrock Geology:
 Available

 Superficial Geology:
 Available


 Artificial Geology:
 Available

 Faults:
 Not Supplied

 Landslip:
 Available

 Rock Segments:
 Not Supplied

Geology 1:50,000 Maps - Slice A





Order Details:

Order Number: 230178532_1_1
Customer Reference: 19.12.021
National Grid Reference: 447200, 165220
Slice: A
Slite Area (Ha): 0.61
Search Buffer (m): 1000

Site Details:


Newbury College, Monks Lane, NEWBURY, RG14 7TD



Fel: 0844 844 9952 Fax: 0844 844 9951 Veb: www.envirocheck.c

v15.0 10-Jan-2020

Page 1 of 5





Artificial Ground and Landslip

Artificial ground is a term used by BGS for those areas where the ground surface has been significantly modified by human activity. Information about previously developed ground is especially important, as it is often associated with potentially contaminated material, unpredictable engineering conditions and unstable ground.


Artificial ground includes:

- Made ground man-made deposits such as embankments and spoil heaps on the natural ground surface.

 - Worked ground - areas where the ground has been cut away such as
- quarries and road cuttings.
- Infilled ground areas where the ground has been cut away then wholly or partially backfilled.
- Landscaped ground areas where the surface has been reshaped.
 Disturbed ground areas of ill-defined shallow or near surface mineral workings where it is impracticable to map made and worked ground

Mass movement (landslip) deposits on BGS geological maps are primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground. The dataset also includes foundered strata, where the ground has collapsed due to subsidence.

Artificial Ground and Landslip Map - Slice A





Order Details:

Order Number: Customer Reference: 230178532_1_1 19.12.021 National Grid Reference: 447200, 165220 A 0.61

Site Area (Ha): Search Buffer (m): 1000

Site Details:


Newbury College, Monks Lane, NEWBURY, RG14 7TD



0844 844 9952 0844 844 9951

v15.0 10-Jan-2020

Page 2 of 5






Superficial Geology

Superficial Deposits are the youngest geological deposits formed during the most recent period of geological time, the Quaternary, which extends back about 1.8 million years from the present.

They rest on older deposits or rocks referred to as Bedrock. This dataset contains Superficial deposits that are of natural origin and 'in place'. Other superficial strata may be held in the Mass Movement dataset where they have been moved, or in the Artificial Ground dataset where they are of man-made origin.

Most of these Superficial deposits are unconsolidated sediments such as gravel, sand, silt and clay, and onshore they form relatively thin, often discontinuous patches or larger spreads.

Superficial Geology Map - Slice A



Order Details:

230178532_1_1 19.12.021 447200, 165220 Order Number: Customer Reference: National Grid Reference: A 0.61

Site Area (Ha): Search Buffer (m): 1000

Site Details:

Newbury College, Monks Lane, NEWBURY, RG14 7TD



0844 844 9952 0844 844 9951

v15.0 10-Jan-2020

Page 3 of 5