

Rules on letting this property



You may not be able to let this property


This property has an energy rating of F. It cannot be let, unless an exemption has been registered. You can read guidance for landlords on the regulations and exemptions (https://www.gov.uk/guidance/domestic-private-rented-property-minimum-energy-efficiency-standard-landlord-guidance).

Properties can be let if they have an energy rating from A to E. You could make changes to improve this property's energy rating.

Energy rating and score

This property's energy rating is F. It has the potential to be C.

See how to improve this property's energy efficiency.



The graph shows this property's current and potential energy rating.

Properties get a rating from A (best) to G (worst) and a score. The better the rating and score, the lower your energy bills are likely to be.

For properties in England and Wales:

the average energy rating is D the average energy score is 60

How this affects your energy bills

An average household would need to spend £1,659 per year on heating, hot water and lighting in this property. These costs usually make up the majority of your energy bills.

You could save £855 per year if you complete the suggested steps for Improving this property's energy rating.

This is **based on average costs in 2015** when this EPC was created. People living at the property may use different amounts of energy for heating, hot water and lighting.

Heating this property

Estimated energy needed in this property is:

- · 16,042 kWh per year for heating
- 2.716 kWh per year for hot water

Impact on t	he env	Ironment
-------------	--------	-----------------

This property's environmental impact rating is F. It has the potential to be C.

Properties get a rating from A (best) to G (worst) on how much carbon dioxide (CO2) they produce each year.

Carbon emissions

An average household produces

6 tonnes of CO2

This property produces	8.3 tonnes of CO2
This property's potential production	3.0 tonnes of CO2

You could improve this property's CO2 emissions by making the suggested changes. This will help to protect the environment.

These ratings are based on assumptions about average occupancy and energy use. People living at the property may use different amounts of energy.

Steps you could take to save energy

Step	Typical installation cost	Typical yearly saving	
1. Increase loft insulation to 270 mm	£100 - £350	£66	
2. Cavity wall insulation	£500 - £1,500	£335	
3. Floor insulation (solid floor)	£4,000 - £6,000	£88	
4. Low energy lighting	£30	£32	
5. Heating controls (TRVs)	£350 - £450	£45	
6. Condensing boller	£2,200 - £3,000	£227	