




See More Online

MIR: Material Info

The Material Information Affecting this Property

Monday 10th November 2025



ALEX WOOD ROAD, CAMBRIDGE, CB4


Cooke Curtis & Co

40 High Street Trumpington Cambridge CB2 9LS

01223 508 050

Jenny@cookecurtis.co.uk




www.cookecurtis.co.uk

















Property

Type:	Terraced	Tenure:	Freehold
Bedrooms:	4		
Floor Area:	1,087 ft ² / 101 m ²		
Plot Area:	0.07 acres		
Year Built :	1950-1966		
Council Tax :	Band C		
Annual Estimate:	£2,094		
Title Number:	CB6114		

Local Area

Local Authority:	Cambridgeshire	Estimated Broadband Speeds (Standard - Superfast - Ultrafast)		
Conservation Area:	No			
Flood Risk:				
• Rivers & Seas	Very low	4 mb/s	80 mb/s	1000 mb/s
• Surface Water	High			

Mobile Coverage: (based on calls indoors)	Satellite/Fibre TV Availability:					
						
						

Planning records for: **53 Alex Wood Road Cambridge Cambridgeshire CB4 2EG**

Reference - 23/02440/HFUL	
Decision:	Decided
Date:	27th June 2023
Description:	Single storey flat roof extension to rear and external alterations.

Planning records for: **55 Alex Wood Road Cambridge CB4 2EG**

Reference - C/02/0848	
Decision:	Decided
Date:	07th August 2002
Description:	Erection of a single storey rear extension to existing dwellinghouse.

Planning records for: **63 Alex Wood Road Cambridge Cambridgeshire CB4 2EG**

Reference - 16/1650/GPE	
Decision:	Decided
Date:	13th September 2016
Description:	Extension to provide porch/utility area and garden room.

Planning records for: **65 Alex Wood Road Cambridge Cambridgeshire CB4 2EG**

Reference - 12/1629/FUL	
Decision:	Withdrawn
Date:	24th December 2012
Description:	Single storey extension to front, rebuild existing outbuildings to rear and new fence to side boundaries at front.

Planning records for: **65 Alex Wood Road Cambridge Cambridgeshire CB4 2EG**

Reference - 13/0171/FUL	
Decision:	Decided
Date:	08th February 2013
Description:	Single storey extension at front, rebuild existing outbuildings at rear and new fence to side boundaries at front.

Planning records for: **67 Alex Wood Road Cambridge Cambridgeshire CB4 2EG**

Reference - 24/04215/HFUL	
Decision:	Decided
Date:	08th November 2024
Description:	Single storey front extension following demolition of existing porch, rear roof extension with rear facing dormer and installation of 3 No. rooflights to front roof slope.

Planning records for: **73 Alex Wood Road Cambridge CB4 2EG**

Reference - 19/0798/FUL	
Decision:	Decided
Date:	10th June 2019
Description:	Single storey front and rear extensions

Planning records for: **87 Alex Wood Road Cambridge CB4 2EG**

Reference - 16/1708/FUL	
Decision:	Decided
Date:	24th September 2016
Description:	Single storey front extension and two storey rear extension

Planning records for: **87 Alex Wood Road Cambridge Cambridgeshire CB4 2EG**

Reference - 22/00866/HFUL	
Decision:	Decided
Date:	21st February 2022
Description:	Rear roof extension and single storey rear extension.

Planning records for: **95 Alex Wood Road Cambridge CB4 2EG**

Reference - 18/0543/FUL	
Decision:	Decided
Date:	25th April 2018
Description:	Erection of a detached 1.5 storey two bedroom dwellinghouse on the land to the rear of 95 Alex Wood Road accessed from Montgomery Road (following demolition of existing garage).








ALEX WOOD ROAD, CAMBRIDGE, CB4



ALEX WOOD ROAD, CAMBRIDGE, CB4


Ground Floor

Main area: approx. 56.8 sq. metres (611.4 sq. feet)
Plus lean-to, approx. 6.7 sq. metres (72.1 sq. feet)




First Floor

Approx. 43.5 sq. metres (468.7 sq. feet)



Main area: Approx. 100.4 sq. metres (1080.2 sq. feet)
Plus lean-to, approx. 6.7 sq. metres (72.1 sq. feet)

Drawings are for guidance only
Plan produced using PlanUp.



Additional EPC Data

Property Type:	Mid-terrace house
Walls:	Cavity wall, filled cavity
Walls Energy:	Good
Roof:	Pitched, 270 mm loft insulation
Roof Energy:	Very good
Window:	Fully double glazed
Window Energy:	Poor
Main Heating:	Boiler and radiators, mains gas
Main Heating Energy:	Good
Main Heating Controls:	Programmer, room thermostat and TRVs
Main Heating Controls Energy:	Good
Hot Water System:	From main system
Hot Water Energy Efficiency:	Average
Lighting:	Good lighting efficiency
Lighting Energy:	Good
Floors:	Solid, no insulation (assumed)
Secondary Heating:	Room heaters, mains gas
Air Tightness:	(not tested)
Total Floor Area:	101 m ²

Electricity Supply

Octopus Energy

Gas Supply

Octopus Energy

Central Heating

Gas - Fired Boiler and Supplementary gas heater

Water Supply

Cambridge Water

Drainage

Anglian Water



Cooke Curtis & Co

We are small enough that we are able to care for each client personally, but large enough to provide exceptional marketing that achieves the best possible price in the least possible time.

We are a responsible business. We aim to be a low carbon company, to operate ethically and to be valuable members of the Cambridge community.

We are experienced in all aspects of residential property, including sales and lettings, planning, development and buy-to-let.

We are interested in you. We see Estate Agency as being as much about people as property. Our job is to work for you, to help you achieve the best possible outcome in your particular situation.

Testimonial 1



Great service from Cooke Curtis & co. We used them for the sale of our home as they were the agents for a property we wanted to buy. They quickly valued, took photos and put it on the market with viewings soon after. Them handling both sides of the deal was a huge help with one complexity of the epic process of house purchasing removed. The agents were particularly calm, reasonable and responsive by email and telephone. Thanks you!

Testimonial 2



Since purchasing our house from Cooke Curtis and Co in 2017, we knew that if ever we were to sell, it would be with them. Of the various estate agents we asked to value the property, Cooke Curtis and Co were the *only* company that didn't need chasing and returned our calls promptly, and kept us up-to-date on progress of the sale. I have no hesitation in recommending Cooke Curtis and Co, as indeed I have done to friends thinking of selling in the area.

Testimonial 3



Being from Cambridge we have rented, bought and sold through many different estate agents over the years, and I can safely say that Cooke Curtis & Co have been by far the best we have come across. After failing to sell our house with another agent, we made the switch and didn't regret our decision. Cooke Curtis & Co clearly care about their reputation and make sure to look after their clients. We found the team to be trustworthy, professional and reliable.

Testimonial 4



We bought a property sold by Cooke Curtis and Co. They were helpful and responded swiftly to our enquiries. It seems buying a house always takes a long time but I got the impression the estate agents did all they could to speed things along. Very happy.



Important - Please read


The seller has been made aware of a re-development of the estate at the end of the road, which is due to start in 2027. Planning permission has not yet been issued.

Flood Risk

Surface Water - Flood Risk



This map shows the chance of flooding where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas.




Risk Rating: High

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




Flood Risk

Surface Water - Climate Change



This map shows the future chance of flooding **between 2040 and 2060** where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.




Risk Rating: High

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




Flood Risk

Rivers & Seas - Flood Risk



This map shows the chance of flooding from rivers and / or the sea, taking into account flood defences and their condition.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




Flood Risk

Rivers & Seas - Climate Change



This map shows the future chance of flooding from rivers and / or the sea **between 2036 and 2069**, taking into account flood defences and their condition. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




Maps

Conservation Areas




This map displays nearby official conservation areas. Every local authority in England has at least one conservation area. Most are designated by the Council as the local planning authority, though Historic England and the Secretary of State also have the power to create them.



Nearby Conservation Areas	
1	De Freville
2	Chesterton
3	Castle and Victoria Road
4	Ferry Lane
5	Riverside and Stourbridge Common
6	Storey's Way
7	Howes Place
8	The Kite
9	Central
10	West Cambridge

This map displays the location of known landfill sites. Historic sites are where there is no environmental permit in force. Active sites are currently authorised by the Environment Agency under Environmental Permitting Regulations.



Nearby Landfill Sites

1	Cambridge University Farm-Huntingdon Road, Cambridgeshire	Historic Landfill	
2	No name provided by source	Active Landfill	
3	Winship Industrial Estate-Cambridge Road, Milton, Cambridgeshire	Historic Landfill	
4	Sludge Beds-Cadbury Park Farm, Impington	Historic Landfill	
5	Coldhams Lane-Coldhams Lane, Cherry Hinton	Historic Landfill	
6	Norman Works-Coldhams Lane, Cambridge	Historic Landfill	
7	Coldham's Lane Tip-Cambridge, Cambridgeshire	Historic Landfill	
8	Cement Works Tip-Off Coldham's Lane, Cambridgeshire	Historic Landfill	
9	Quy Mill Hotel-Quy	Historic Landfill	
10	Quy Bridge-Quy	Historic Landfill	

This map displays nearby coal mine entrances and their classifications.




Mine Entry

- ✕ Adit
- ✕ Gutter Pit
- ✕ Shaft

The Coal Authority has records of over 175,000 mine entries within the UK captured in the National Coal Mining database, derived from sources including abandonment plans, geological and topographical plans.

Coal mining activity is recorded as far back as the 13th century, but prior to 1872 there was no requirement to deposit abandonment plans. It is therefore believed there may be many unrecorded mine entries of which the Authority has no information or knowledge. These entries do not, therefore, appear within the Authority's national dataset as shown on this map.

The UK is divided into wards that are used for local elections to elect local government councillors. Sometimes these are known as 'electoral divisions'. Population counts can vary substantially between wards, but the national average is about 5,500



Nearby Council Wards

1

Arbury Ward

2

King's Hedges Ward

3

West Chesterton Ward

4

East Chesterton Ward

5

Castle Ward

6

Market Ward

7

Milton & Waterbeach Ward

8

Abbey Ward

9



Newnham Ward

10

Histon & Impington Ward


What is Radon?

Radon is a natural radioactive gas, which enters buildings from the ground. Exposure to high concentrations increases the risk of lung cancer. The UK Health Security Agency (UKHSA) recommends that radon levels should be reduced in homes where the annual average is at or above 200 becquerels per cubic metre (200 Bq/m³).



Ground Composition for this Address (Surrounding square kilometer zone around property)


Carbon Content:	NONE	Soil Texture:	SAND TO SANDY LOAM
Parent Material Grain:	ARENACEOUS - RUDACEOUS	Soil Depth:	DEEP
Soil Group:	LIGHT(SANDY) TO MEDIUM(SANDY)		





Primary Classifications (Most Common Clay Types)

C/M	Claystone / Mudstone
FPC,S	Floodplain Clay, Sand / Gravel
FC,S	Fluvial Clays & Silts
FC,S,G	Fluvial Clays, Silts, Sands & Gravel
PM/EC	Prequaternary Marine / Estuarine Clay / Silt
QM/EC	Quaternary Marine / Estuarine Clay / Silt
RC	Residual Clay
RC/LL	Residual Clay & Loamy Loess
RC,S	River Clay & Silt
RC,FS	Riverine Clay & Floodplain Sands and Gravel
RC,FL	Riverine Clay & Fluvial Sands and Gravel
TC	Terrace Clay
TC/LL	Terrace Clay & Loamy Loess

Local Area Masts & Pylons



Key:


-  Power Pylons
-  Communication Masts











Maps

Listed Buildings




This map displays nearby listed buildings and protected structures, as well as their listed tier and distance from the target property...



Listed Buildings in the local district		Grade	Distance
	1126001 - Roger Ascham School Double Classroom	Grade II	0.4 miles
	1331937 - Roger Ascham School Administration Building And Hall	Grade II	0.4 miles
	1331961 - Roger Ascham School Gymnasium And Attached Classroom	Grade II	0.4 miles
	1265262 - Roger Ascham School Classrooms 1, 2 And 3	Grade II	0.4 miles
	1337012 - Windmill At Chesterton Mills	Grade II	0.6 miles
	1126192 - 25 And 27, High Street	Grade II	0.7 miles
	1126239 - Chesterton Hall	Grade II	0.7 miles
	1245573 - Church Of St George	Grade II	0.7 miles
	1322398 - Chesterton House	Grade II	0.8 miles
	1331829 - Chesterton Tower	Grade I	0.8 miles

This map displays nearby areas that have been designated as Green Belt...



Nearby Green Belt Land




Cambridge Green Belt - South Cambridgeshire




Cambridge Green Belt - Cambridge




Cambridge Green Belt - East Cambridgeshire






		Nursery	Primary	Secondary	College	Private
1	Colleges Nursery School Ofsted Rating: Outstanding Pupils: 85 Distance:0.14	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2	North Cambridge Academy Ofsted Rating: Good Pupils: 685 Distance:0.2	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3	Arbury Primary School Ofsted Rating: Good Pupils: 384 Distance:0.24	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4	The Grove Primary School Ofsted Rating: Good Pupils: 245 Distance:0.36	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5	Castle School, Cambridge Ofsted Rating: Requires improvement Pupils: 238 Distance:0.38	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6	Milton Road Primary School Ofsted Rating: Good Pupils: 414 Distance:0.45	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7	Olive AP Academy - Cambridge Ofsted Rating: Good Pupils: 4 Distance:0.45	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8	St Laurence Catholic Primary School Ofsted Rating: Good Pupils: 239 Distance:0.46	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>




		Nursery	Primary	Secondary	College	Private
9	Chesterton Community College Ofsted Rating: Outstanding Pupils: 1121 Distance:0.53	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10	King's Hedges Nursery School Ofsted Rating: Good Pupils: 68 Distance:0.54	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11	Kings Hedges Primary School Ofsted Rating: Good Pupils: 398 Distance:0.54	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12	St Luke's CofE Primary School Ofsted Rating: Requires improvement Pupils: 92 Distance:0.72	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
13	Orchard Park Community Primary School Ofsted Rating: Good Pupils: 206 Distance:0.73	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
14	Cambridge Arts and Sciences (CATS and CSVPA) Ofsted Rating: Not Rated Pupils: 543 Distance:0.73	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
15	Mayfield Primary School Ofsted Rating: Good Pupils: 408 Distance:0.73	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
16	Cambridge Regional College Ofsted Rating: Good Pupils:0 Distance:0.8	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>









National Rail Stations

Pin	Name	Distance
	Cambridge North Rail Station	1.38 miles
	Cambridge Rail Station	2.18 miles
	Waterbeach Rail Station	3.97 miles








Trunk Roads/Motorways

Pin	Name	Distance
	M11 J13	2.22 miles
	M11 J14	2.54 miles
	M11 J12	3.27 miles
	M11 J11	4.57 miles
	M11 J10	8.75 miles




Airports/Helipads

Pin	Name	Distance
	Cambridge	2.46 miles
	Stansted Airport	23.83 miles
	Luton Airport	32.07 miles
	Silvertown	50.02 miles



Bus Stops/Stations

Pin	Name	Distance
1	Nursery School	0.14 miles
2	Mere Way	0.21 miles
3	Ellesmere Road	0.21 miles
4	Ferrars Way	0.19 miles
5	Ferrars Way	0.2 miles



This data indicates the level of noise according to the strategic noise mapping of road sources within areas with a population of at least 100,000 people (agglomerations) and along major traffic routes. This indicates a 24 hour annual average noise level with separate weightings for the evening and night periods.

Noise levels are modelled on a 10m grid at a receptor height of 4m above ground, polygons are then produced by merging neighbouring cells within the following noise classes:

- 75.0+ dB
- 70.0-74.9 dB
- 65.0-69.9 dB
- 60.0-64.9 dB
- 55.0-59.9 dB

Cooke Curtis & Co

Data Quality

We are committed to comprehensive property data being made available upfront to make the home buying and selling process quicker, easier and cheaper. This is why we have partnered with Sprift, the UK's leading supplier of property-specific data.



Contains public sector information licensed under the Open Government License v3.0

The information contained within this report is for general information purposes only.

Sprift Technologies Ltd aggregate this data from a wide variety of sources and while we endeavour to keep the information up to date and correct, we make no representations or warranties of any kind, express or implied, about the completeness, accuracy, reliability, of the information or related graphics contained within this report for any purpose.

Any reliance you place on such information is therefore strictly at your own risk. In no event will we be liable for any loss or damage including without limitation, indirect or consequential loss or damage, or any loss or damage whatsoever arising from loss of data or profits arising out of, or in connection with, the use of this report.



Cooke Curtis & Co

40 High Street Trumpington Cambridge

CB2 9LS

01223 508 050

Jenny@cookecurtis.co.uk

www.cookecurtis.co.uk

