




See More Online

MIR: Material Info

The Material Information Affecting this Property

Tuesday 06th January 2026



LYNTON WAY, SAWSTON, CAMBRIDGE, CB22

Cooke Curtis & Co


40 High Street Trumpington Cambridge CB2 9LS

01223 508 050

jessica@cookecurtis.co.uk

www.cookecurtis.co.uk
















Property

Type:	Terraced	Tenure:	Freehold
Bedrooms:	3		
Floor Area:	904 ft ² / 84 m ²		
Plot Area:	0.05 acres		
Year Built :	1967-1975		
Council Tax :	Band C		
Annual Estimate:	£2,146		
Title Number:	CB40645		

Local Area

Local Authority:	Cambridgeshire	Estimated Broadband Speeds		
Conservation Area:	No	(Standard - Superfast - Ultrafast)		
Flood Risk:		13	80	1000
• Rivers & Seas	Very low	mb/s	mb/s	mb/s
• Surface Water	Very low			

Mobile Coverage:	Satellite/Fibre TV Availability:		
(based on calls indoors)			
			
			

Planning History

This Address



Planning records for: *Lynton Way, Sawston, Cambridge, CB22*

Reference - 23/01988/HFUL	
Decision:	Decided
Date:	24th May 2023
Description:	Front porch, Single storey side and rear extension to replace existing conservatory.

Reference - 23/01993/HFUL	
Decision:	Decided
Date:	24th May 2023
Description:	Single storey extension to rear.

Planning records for: **1 Lynton Way Sawston Cambridgeshire CB22 3EA**

Reference - 22/04451/LBC	
Decision:	Decided
Date:	10th October 2022
Description:	Alterations to form new server room, including installation of new raised access floor, removal of existing plasterboard ceiling and installation of suspended grid ceiling with integral lighting and suspended cable trays, installation of cooling units.

Reference - 22/04453/HFUL	
Decision:	Decided
Date:	10th October 2022
Description:	Single storey front, side and rear extensions

Planning records for: **17 Lynton Way Sawston Cambridge Cambridgeshire CB22 3EA**

Reference - S/1687/17/FL	
Decision:	Decided
Date:	10th May 2017
Description:	Single storey front extension to form porch

Planning records for: **23 Lynton Way Sawston CB22 3EA**

Reference - 22/00067/HFUL	
Decision:	Decided
Date:	07th January 2022
Description:	Demolition of existing conservatory to be replaced with extension.

Planning records for: **23 Lynton Way Sawston CB22 3EA**

Reference - 22/00058/HFUL	
Decision:	Withdrawn
Date:	07th January 2022
Description:	Rear single storey extension and garage conversion

Planning records for: **27 Lynton Way Sawston Cambridgeshire CB22 3EA**

Reference - 23/03592/HFUL	
Decision:	Decided
Date:	21st September 2023
Description:	Porch and single storey extension to front.

Reference - S/1861/09/F	
Decision:	Decided
Date:	17th December 2009
Description:	Extensions

Planning records for: **29 Lynton Way Sawston Cambridge Cambridgeshire CB22 3EA**

Reference - S/0244/13/FL	
Decision:	Decided
Date:	06th February 2013
Description:	Single storey side extension

Planning records for: **33 Lynton Way Sawston Cambridge Cambridgeshire CB22 3EA**

Reference - S/1845/15/FL	
Decision:	Decided
Date:	21st July 2015
Description:	Single storey rear extension and replace existing pitched roof conservatory with tiled lean to roof incorporating velux rooflights

Reference - 24/00908/HFUL	
Decision:	Decided
Date:	11th March 2024
Description:	First floor extension over existing garage.

Reference - S/0572/13/FL	
Decision:	Decided
Date:	19th March 2013
Description:	Single Storey Rear Extension & Replace existing pitched roof conservatory with flat roof

Planning records for: **35 Lynton Way Sawston Cambridge Cambridgeshire CB22 3EA**

Reference - S/2875/18/FL	
Decision:	Decided
Date:	26th July 2018
Description:	Single storey front entrance porch

Planning records for: **37 Lynton Way Sawston Cambridge CB22 3EA**


Reference - S/4334/17/PA	
Decision:	Decided
Date:	01st December 2017
Description:	Application for prior approval for a proposed garden room



LYNTON WAY, SAWSTON, CAMBRIDGE, CB22




LYNTON WAY, SAWSTON, CAMBRIDGE, CB22



Total area: approx. 85.9 sq. metres (924.3 sq. feet)

Drawings are for guidance only
Plan produced using PlanUp.



Additional EPC Data

Property Type:	Mid-terrace house
Walls:	Cavity wall, as built, insulated (assumed)
Walls Energy:	Good
Roof:	Pitched, 225 mm loft insulation
Roof Energy:	Good
Window:	Fully double glazed
Window Energy:	Poor
Main Heating:	Boiler and radiators, mains gas
Main Heating Energy:	Good
Main Heating Controls:	Programmer, room thermostat and TRVs
Main Heating Controls Energy:	Good
Hot Water System:	From main system
Hot Water Energy Efficiency:	Good
Lighting:	Good lighting efficiency
Lighting Energy:	Good
Floors:	Solid, no insulation (assumed)
Secondary Heating:	Room heaters, electric
Air Tightness:	(not tested)
Total Floor Area:	84 m ²

Building Safety

Accessibility / Adaptations

Removal of wall between living room and kitchen prior to purchase of the property
front and back doors were installed in 2024.

Restrictive Covenants

Rights of Way (Public & Private)

Construction Type

Brick

Property Lease Information

Listed Building Information

Stamp Duty

Other

Other

Electricity Supply

British Gas

Gas Supply

British Gas

Central Heating

Yes

Water Supply

Cambridge Water

Drainage

Cambridge Water



Cooke Curtis & Co

We are small enough that we are able to care for each client personally, but large enough to provide exceptional marketing that achieves the best possible price in the least possible time.

We are a responsible business. We aim to be a low carbon company, to operate ethically and to be valuable members of the Cambridge community.

We are experienced in all aspects of residential property, including sales and lettings, planning, development and buy-to-let.

We are interested in you. We see Estate Agency as being as much about people as property. Our job is to work for you, to help you achieve the best possible outcome in your particular situation.

Testimonial 1



Great service from Cooke Curtis & co. We used them for the sale of our home as they were the agents for a property we wanted to buy. They quickly valued, took photos and put it on the market with viewings soon after. Them handling both sides of the deal was a huge help with one complexity of the epic process of house purchasing removed. The agents were particularly calm, reasonable and responsive by email and telephone. Thanks you!

Testimonial 2



Since purchasing our house from Cooke Curtis and Co in 2017, we knew that if ever we were to sell, it would be with them. Of the various estate agents we asked to value the property, Cooke Curtis and Co were the *only* company that didn't need chasing and returned our calls promptly, and kept us up-to-date on progress of the sale. I have no hesitation in recommending Cooke Curtis and Co, as indeed I have done to friends thinking of selling in the area.

Testimonial 3



Being from Cambridge we have rented, bought and sold through many different estate agents over the years, and I can safely say that Cooke Curtis & Co have been by far the best we have come across. After failing to sell our house with another agent, we made the switch and didn't regret our decision. Cooke Curtis & Co clearly care about their reputation and make sure to look after their clients. We found the team to be trustworthy, professional and reliable.

Testimonial 4



We bought a property sold by Cooke Curtis and Co. They were helpful and responded swiftly to our enquiries. It seems buying a house always takes a long time but I got the impression the estate agents did all they could to speed things along. Very happy.



/cookecurtisco



/cookecurtisco


Important - Please read

Flood Risk

Surface Water - Flood Risk



This map shows the chance of flooding where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




Flood Risk

Surface Water - Climate Change



This map shows the future chance of flooding **between 2040 and 2060** where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




Flood Risk

Rivers & Seas - Flood Risk



This map shows the chance of flooding from rivers and / or the sea, taking into account flood defences and their condition.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




Flood Risk

Rivers & Seas - Climate Change



This map shows the future chance of flooding from rivers and / or the sea **between 2036 and 2069**, taking into account flood defences and their condition. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:



Maps

Conservation Areas



This map displays nearby official conservation areas. Every local authority in England has at least one conservation area. Most are designated by the Council as the local planning authority, though Historic England and the Secretary of State also have the power to create them.



Nearby Conservation Areas



Sawston



Pampisford



Babraham



Whittlesford



Stapleford



Great and Little Abington



Great Shelford



Duxford




Little Shelford



Hinxton


This map displays the location of known landfill sites. Historic sites are where there is no environmental permit in force. Active sites are currently authorised by the Environment Agency under Environmental Permitting Regulations.



Nearby Landfill Sites

1	Home Farm-Babraham, Cambridge	Historic Landfill	
2	Sindalls-Sawston	Historic Landfill	
3	Eastern County Leather-Sawston	Historic Landfill	
4	Home Farm-Babraham	Historic Landfill	
5	Shelford Tip-Shelford	Historic Landfill	
6	Home Farm-Babraham	Historic Landfill	
7	Land off Station Road West-Station Road, Whittlesford	Historic Landfill	
8	Home Farm-Babraham	Historic Landfill	
9	North Hinxton Landfill-Hinxton, Cambridgeshire	Historic Landfill	
10	Middleton Aggregates Ltd - Hinxton Quarry-Lordship Farm, Hinxton, Cambridgeshire	Historic Landfill	

This map displays nearby coal mine entrances and their classifications.




Mine Entry

- ✕ Adit
- ✕ Gutter Pit
- ✕ Shaft

The Coal Authority has records of over 175,000 mine entries within the UK captured in the National Coal Mining database, derived from sources including abandonment plans, geological and topographical plans.

Coal mining activity is recorded as far back as the 13th century, but prior to 1872 there was no requirement to deposit abandonment plans. It is therefore believed there may be many unrecorded mine entries of which the Authority has no information or knowledge. These entries do not, therefore, appear within the Authority's national dataset as shown on this map.

The UK is divided into wards that are used for local elections to elect local government councillors. Sometimes these are known as 'electoral divisions'. Population counts can vary substantially between wards, but the national average is about 5,500





Nearby Council Wards


- | | |
|----|---|
| 1 | Sawston Ward |
| 2 | Duxford Ward |
| 3 | Shelford Ward |
| 4 | Whittlesford Ward |
| 5 | Queen Edith's Ward |
| 6 | Trumpington Ward |
| 7 | Fen Ditton & Fulbourn Ward |
| 8 | Linton Ward |
| 9 | Harston & Comberton Ward |
| 10 | Littlebury, Chesterford & Wenden Lofts Ward |

What is Radon?

Radon is a natural radioactive gas, which enters buildings from the ground. Exposure to high concentrations increases the risk of lung cancer. The UK Health Security Agency (UKHSA) recommends that radon levels should be reduced in homes where the annual average is at or above 200 becquerels per cubic metre (200 Bq/m³).




Carbon Content:	HIGH	Soil Texture:	CHALKY CLAY TO CHALKY
Parent Material Grain:	ARGILLIC		LOAM
Soil Group:	MEDIUM TO LIGHT(SILTY) TO HEAVY	Soil Depth:	DEEP-INTERMEDIATE





C/M	Claystone / Mudstone
FPC,S	Floodplain Clay, Sand / Gravel
FC,S	Fluvial Clays & Silts
FC,S,G	Fluvial Clays, Silts, Sands & Gravel
PM/EC	Prequaternary Marine / Estuarine Clay / Silt
QM/EC	Quaternary Marine / Estuarine Clay / Silt
RC	Residual Clay
RC/LL	Residual Clay & Loamy Loess
RC,S	River Clay & Silt
RC,FS	Riverine Clay & Floodplain Sands and Gravel
RC,FL	Riverine Clay & Fluvial Sands and Gravel
TC	Terrace Clay
TC/LL	Terrace Clay & Loamy Loess

Local Area


Masts & Pylons













Key:


-  Power Pylons
-  Communication Masts

This map displays nearby listed buildings and protected structures, as well as their listed tier and distance from the target property...




Listed Buildings in the local district		Grade	Distance
	1128065 - Parish Church Of St Mary	Grade I	0.5 miles
	1128041 - 1, 3 And 5, Orchard Lane	Grade II	0.5 miles
	1330981 - Kings Head Public House	Grade II	0.5 miles
	1165287 - 26, High Street	Grade II	0.5 miles
	1330962 - Chest Tomb Beside East Churchyard Boundary Wall And To The East Of The Parish Church Of St Mary	Grade II	0.5 miles
	1128024 - Tombstones To East Of South Aisle Of St Mary's Church	Grade II	0.5 miles
	1128032 - The Greyhound Public House	Grade II	0.5 miles
	1128033 - Ivy House	Grade II	0.5 miles
	1128025 - Gate Piers To Sawston Hall	Grade II	0.6 miles
	1330982 - War Memorial (at Junction With Church Lane)	Grade II	0.6 miles


This map displays nearby areas that have been designated as Green Belt...




Nearby Green Belt Land	
1	Cambridge Green Belt - Cambridge
2	Cambridge Green Belt - South Cambridgeshire
3	Cambridge Green Belt - East Cambridgeshire



		Nursery	Primary	Secondary	College	Private
1	The Icknield Primary School Ofsted Rating: Good Pupils: 200 Distance:0.09	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2	The Bellbird Primary School Ofsted Rating: Good Pupils: 415 Distance:0.48	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3	Sawston Village College Ofsted Rating: Good Pupils: 1162 Distance:0.73	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4	Babraham CofE (VC) Primary School Ofsted Rating: Outstanding Pupils: 91 Distance:1.19	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5	William Westley Church of England VC Primary School Ofsted Rating: Good Pupils: 186 Distance:1.44	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6	Stapleford Community Primary School Ofsted Rating: Good Pupils: 215 Distance:1.73	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7	Duxford Church of England Community Primary School Ofsted Rating: Good Pupils: 172 Distance:2.49	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8	Great and Little Shelford CofE (Aided) Primary School Ofsted Rating: Good Pupils: 208 Distance:2.49	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>




		Nursery	Primary	Secondary	College	Private
9	Great Abington Primary School Ofsted Rating: Good Pupils: 133 Distance:2.5	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10	Hauxton Primary School Ofsted Rating: Good Pupils: 90 Distance:3.52	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11	The Netherhall School Ofsted Rating: Good Pupils: 1229 Distance:3.79	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12	Thriplow CofE Primary School Ofsted Rating: Good Pupils: 102 Distance:3.86	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
13	Trumpington Park Primary School Ofsted Rating: Good Pupils: 403 Distance:3.91	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
14	Queen Edith Primary School Ofsted Rating: Good Pupils: 422 Distance:3.95	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
15	Homerton Early Years Centre Ofsted Rating: Outstanding Pupils: 118 Distance:3.99	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
16	Cambridge Academy for Science and Technology Ofsted Rating: Good Pupils: 431 Distance:4.04	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>




National Rail Stations

Pin	Name	Distance
1	Whittlesford Parkway Rail Station	1.74 miles
2	Shelford (Cambs) Rail Station	2.31 miles
3	Great Chesterford Rail Station	4.65 miles




Trunk Roads/Motorways

Pin	Name	Distance
1	M11 J10	2.67 miles
2	M11 J9	4.33 miles
3	M11 J11	4.02 miles
4	M11 J12	6.27 miles
5	M11 J13	7.35 miles




Airports/Helipads

Pin	Name	Distance
1	Cambridge	5.47 miles
2	Stansted Airport	16.7 miles
3	Luton Airport	29.28 miles
4	Silvertown	43.49 miles








Bus Stops/Stations

Pin	Name	Distance
1	Grove Road	0.12 miles
2	Ashley Way	0.25 miles
3	Sunderland Avenue	0.27 miles
4	Holme Way	0.38 miles
5	Churchfield Avenue	0.38 miles



This data indicates the level of noise according to the strategic noise mapping of road sources within areas with a population of at least 100,000 people (agglomerations) and along major traffic routes. This indicates a 24 hour annual average noise level with separate weightings for the evening and night periods.

Noise levels are modelled on a 10m grid at a receptor height of 4m above ground, polygons are then produced by merging neighbouring cells within the following noise classes:

-  75.0+ dB
-  70.0-74.9 dB
-  65.0-69.9 dB
-  60.0-64.9 dB
-  55.0-59.9 dB

Cooke Curtis & Co

Data Quality

We are committed to comprehensive property data being made available upfront to make the home buying and selling process quicker, easier and cheaper. This is why we have partnered with Sprift, the UK's leading supplier of property-specific data.



Contains public sector information licensed under the Open Government License v3.0

The information contained within this report is for general information purposes only.

Sprift Technologies Ltd aggregate this data from a wide variety of sources and while we endeavour to keep the information up to date and correct, we make no representations or warranties of any kind, express or implied, about the completeness, accuracy, reliability, of the information or related graphics contained within this report for any purpose.

Any reliance you place on such information is therefore strictly at your own risk. In no event will we be liable for any loss or damage including without limitation, indirect or consequential loss or damage, or any loss or damage whatsoever arising from loss of data or profits arising out of, or in connection with, the use of this report.



Cooke Curtis & Co

40 High Street Trumpington Cambridge

CB2 9LS

01223 508 050

jessica@cookecurtis.co.uk

www.cookecurtis.co.uk

