




See More Online

MIR: Material Info

The Material Information Affecting this Property

Wednesday 11th February 2026



RESBURY CLOSE, SAWSTON, CAMBRIDGE, CB22

Cooke Curtis & Co

40 High Street Trumpington Cambridge CB2 9LS

01223 508 050


jessica@cookecurtis.co.uk

www.cookecurtis.co.uk



Powered by





Property

Type:	Terraced	Tenure:	Freehold
Bedrooms:	3		
Floor Area:	861 ft ² / 80 m ²		
Plot Area:	0.07 acres		
Year Built :	1950-1966		
Council Tax :	Band C		
Annual Estimate:	£2,146		
Title Number:	CB4143		

Local Area


Local Authority:	Cambridgeshire
Conservation Area:	No
Flood Risk:	
• Rivers & Seas	Very low
• Surface Water	Very low

Estimated Broadband Speeds
(Standard - Superfast - Ultrafast)

13
mb/s **80**
mb/s **1000**
mb/s



Mobile Coverage:
(based on calls indoors)



Satellite/Fibre TV Availability:



Planning History This Address

CC&C

Planning records for: *Resbury Close, Sawston, Cambridge, CB22*

Reference - S/1401/09/F	
Decision:	Decided
Date:	25th September 2009
Description:	Extensions

Planning records for: **1 Resbury Close Sawston Cambridgeshire CB22 3DE**

Reference - 23/01960/HFUL

Decision: Decided

Date: 22nd May 2023

Description:

Replace hanging tiles with hardie board planks to front and rear.

Reference - 22/04431/CONDA

Decision: Decided

Date: 22nd May 2023

Description:

Submission of details required by condition 3 (Ecological Enhancement Plan) of planning permission 22/04431/FUL

Planning records for: **12 Resbury Close Sawston Cambridge Cambridgeshire CB22 3DE**

Reference - 22/02815/CL2PD

Decision: Decided

Date: 19th May 2022

Description:

Certificate of lawfulness under S192 for a Single storey rear extension

Reference - S/4535/19/COND M

Decision: Decided

Date: 19th May 2022

Description:

Submission of details required by condition 15 (Bus stops) of planning permission S/4535/19/VC

Planning records for: **20 Resbury Close Sawston Cambridge Cambridgeshire CB22 3DE**

Reference - S/2304/13/FL
Decision: Decided
Date: 28th October 2013
Description: Retention of Veranda




RESBURY CLOSE, SAWSTON, CAMBRIDGE, CB22


Approximate Gross Internal Area 872 sq ft - 81 sq m

Ground Floor Area 473 sq ft - 44 sq m

First Floor Area 399 sq ft - 37 sq m



Ground Floor




First Floor

Floor plan produced in accordance with RICS Property Measurement 2nd Edition. Although Pink Plan Ltd ensures the highest level of accuracy, measurements of doors, windows and rooms are approximate and no responsibility is taken for error, omission or misstatement. These plans are for representation purposes only and no guarantee is given on the total square footage of the property within this plan. The figure icon is for initial guidance only and should not be relied on as a basis of valuation.

COOKE CURTIS & CO

RESBURY CLOSE, SAWSTON, CAMBRIDGE, CB22



Sawston, CAMBRIDGE, CB22

Energy rating

C

Valid until 08.02.2036

Score	Energy rating	Current	Potential
92+	A		
81-91	B		
69-80	C	73 c	78 c
55-68	D		
39-54	E		
21-38	F		
1-20	G		

Additional EPC Data

Property Type:	End-terrace house
Walls:	Cavity wall, filled cavity
Walls Energy:	Good
Roof:	Pitched, 100 mm loft insulation
Roof Energy:	Average
Window:	Fully double glazed
Window Energy:	Average
Main Heating:	Boiler and radiators, mains gas
Main Heating Energy:	Good
Main Heating Controls:	Programmer, room thermostat and TRVs
Main Heating Controls Energy:	Good
Hot Water System:	From main system
Hot Water Energy Efficiency:	Good
Lighting:	Good lighting efficiency
Lighting Energy:	Good
Floors:	Solid, no insulation (assumed)
Secondary Heating:	None
Air Tightness:	(not tested)
Total Floor Area:	80 m ²

Building Safety

Accessibility / Adaptations

Restrictive Covenants

Rights of Way (Public & Private)

Construction Type

Standard brick

Property Lease Information

Listed Building Information

Stamp Duty

Other

Window replacements: Master bedroom, bedroom at front and bathroom window 2023. Back bedroom window and patio door new December 2025. Have certificates from each supplier/installer.

Other

Electricity Supply

Octopus

Gas Supply

Octopus

Central Heating

Yes

Water Supply

Cambridge Water

Drainage

Testimonial 1



Great service from Cooke Curtis & co. We used them for the sale of our home as they were the agents for a property we wanted to buy. They quickly valued, took photos and put it on the market with viewings soon after. Them handling both sides of the deal was a huge help with one complexity of the epic process of house purchasing removed. The agents were particularly calm, reasonable and responsive by email and telephone. Thanks you!

Testimonial 2



Since purchasing our house from Cooke Curtis and Co in 2017, we knew that if ever we were to sell, it would be with them. Of the various estate agents we asked to value the property, Cooke Curtis and Co were the *only* company that didn't need chasing and returned our calls promptly, and kept us up-to-date on progress of the sale. I have no hesitation in recommending Cooke Curtis and Co, as indeed I have done to friends thinking of selling in the area.

Testimonial 3



Being from Cambridge we have rented, bought and sold through many different estate agents over the years, and I can safely say that Cooke Curtis & Co have been by far the best we have come across. After failing to sell our house with another agent, we made the switch and didn't regret our decision. Cooke Curtis & Co clearly care about their reputation and make sure to look after their clients. We found the team to be trustworthy, professional and reliable.

Testimonial 4



We bought a property sold by Cooke Curtis and Co. They were helpful and responded swiftly to our enquiries. It seems buying a house always takes a long time but I got the impression the estate agents did all they could to speed things along. Very happy.


Important - Please read

Flood Risk

Surface Water - Flood Risk

CC&C

This map shows the chance of flooding where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than **1 in 30 (3.3%)** in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than **1 in 100 (1.0%)** in any one year.
- Low Risk** - an area which has a chance of flooding of greater than **1 in 1000 (0.1%)** in any one year.
- Very Low Risk** - an area in which the risk is below **1 in 1000 (0.1%)** in any one year.


Chance of flooding to the following depths at this property:



Flood Risk Surface Water - Climate Change

CC&C

This map shows the future chance of flooding **between 2040 and 2060** where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.


Chance of flooding to the following depths at this property:



Flood Risk Rivers & Seas - Flood Risk

CC&C

This map shows the chance of flooding from rivers and / or the sea, taking into account flood defences and their condition.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- █ **High Risk** - an area which has a chance of flooding of greater than **1 in 30 (3.3%)** in any one year.
- █ **Medium Risk** - an area which has a chance of flooding of greater than **1 in 100 (1.0%)** in any one year.
- █ **Low Risk** - an area which has a chance of flooding of greater than **1 in 1000 (0.1%)** in any one year.
- █ **Very Low Risk** - an area in which the risk is below **1 in 1000 (0.1%)** in any one year.


Chance of flooding to the following depths at this property:



Flood Risk Rivers & Seas - Climate Change

CC&C

This map shows the future chance of flooding from rivers and / or the sea **between 2036 and 2069**, taking into account flood defences and their condition. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




Maps

Conservation Areas

CC&C

This map displays nearby official conservation areas. Every local authority in England has at least one conservation area. Most are designated by the Council as the local planning authority, though Historic England and the Secretary of State also have the power to create them.



Nearby Conservation Areas


- | | |
|----|---------------------------|
| 1 | Sawston |
| 2 | Pampisford |
| 3 | Babraham |
| 4 | Whittlesford |
| 5 | Stapleford |
| 6 | Great Shelford |
| 7 | Duxford |
| 8 | Great and Little Abington |
| 9 | Little Shelford |
| 10 | Hinxton |

Maps

Landfill Sites

CC&C

This map displays the location of known landfill sites. Historic sites are where there is no environmental permit in force. Active sites are currently authorised by the Environment Agency under Environmental Permitting Regulations.



Nearby Landfill Sites

1	Sindalls-Sawston	Historic Landfill	<input type="checkbox"/>
2	Home Farm-Babraham, Cambridge	Historic Landfill	<input type="checkbox"/>
3	Eastern County Leather-Sawston	Historic Landfill	<input type="checkbox"/>
4	Shelford Tip-Shelford	Historic Landfill	<input type="checkbox"/>
5	Home Farm-Babraham	Historic Landfill	<input type="checkbox"/>
6	Home Farm-Babraham	Historic Landfill	<input type="checkbox"/>
7	Land off Station Road West-Station Road, Whittlesford	Historic Landfill	<input type="checkbox"/>
8	Home Farm-Babraham	Historic Landfill	<input type="checkbox"/>
9	Home Farm-Babraham	Historic Landfill	<input type="checkbox"/>
10	North Hinxton Landfill-Hinxton, Cambridgeshire	Historic Landfill	<input type="checkbox"/>

Maps Coal Mining

CC&C

This map displays nearby coal mine entrances and their classifications.



Mine Entry

- ✖ Adit
- ✖ Gutter Pit
- ✖ Shaft

The Coal Authority has records of over 175,000 mine entries within the UK captured in the National Coal Mining database, derived from sources including abandonment plans, geological and topographical plans.


Coal mining activity is recorded as far back as the 13th century, but prior to 1872 there was no requirement to deposit abandonment plans. It is therefore believed there may be many unrecorded mine entries of which the Authority has no information or knowledge. These entries do not, therefore, appear within the Authority's national dataset as shown on this map.

Maps

Council Wards

CC&C

The UK is divided into wards that are used for local elections to elect local government councillors. Sometimes these are known as 'electoral divisions'. Population counts can vary substantially between wards, but the national average is about 5,500





Nearby Council Wards

- 1 Sawston Ward
- 2 Shelford Ward
- 3 Duxford Ward
- 4 Whittlesford Ward
- 5 Queen Edith's Ward
- 6 Trumpington Ward
- 7 Fen Ditton & Fulbourn Ward
- 8 Harston & Comberton Ward
- 9 Linton Ward
- 10 Foxton Ward


What is Radon?

Radon is a natural radioactive gas, which enters buildings from the ground. Exposure to high concentrations increases the risk of lung cancer. The UK Health Security Agency (UKHSA) recommends that radon levels should be reduced in homes where the annual average is at or above 200 becquerels per cubic metre (200 Bq/m³).



Ground Composition for this Address (Surrounding square kilometer zone around property)

Carbon Content:	NONE	Soil Texture:	SAND TO SANDY LOAM
Parent Material Grain:	ARENACEOUS - RUDACEOUS	Soil Depth:	DEEP
Soil Group:	LIGHT(SANDY) TO MEDIUM(SANDY)		




Primary Classifications (Most Common Clay Types)

C/M	Claystone / Mudstone
FPC,S	Floodplain Clay, Sand / Gravel
FC,S	Fluvial Clays & Silts
FC,S,G	Fluvial Clays, Silts, Sands & Gravel
PM/EC	Prequaternary Marine / Estuarine Clay / Silt
QM/EC	Quaternary Marine / Estuarine Clay / Silt
RC	Residual Clay
RC/LL	Residual Clay & Loamy Loess
RC,S	River Clay & Silt
RC,FS	Riverine Clay & Floodplain Sands and Gravel
RC,FL	Riverine Clay & Fluvial Sands and Gravel
TC	Terrace Clay
TC/LL	Terrace Clay & Loamy Loess

Local Area Masts & Pylons

CC&C




Key:

- Power Pylons
- Communication Masts

Maps Listed Buildings

CC&C


This map displays nearby listed buildings and protected structures, as well as their listed tier and distance from the target property...



Listed Buildings in the local district		Grade	Distance
 ¹	1128065 - Parish Church Of St Mary	Grade I	0.5 miles
 ²	1165362 - Dovecot John Faulker Primary School	Grade II	0.5 miles
 ³	1128041 - 1, 3 And 5, Orchard Lane	Grade II	0.5 miles
 ⁴	1165287 - 26, High Street	Grade II	0.5 miles
 ⁵	1330981 - Kings Head Public House	Grade II	0.5 miles
 ⁶	1330985 - 58 And 60, High Street	Grade II	0.5 miles
 ⁷	1128024 - Tombstones To East Of South Aisle Of St Mary's Church	Grade II	0.5 miles
 ⁸	1317390 - 54, High Street	Grade II	0.5 miles
 ⁹	1128032 - The Greyhound Public House	Grade II	0.5 miles
 ¹⁰	1330962 - Chest Tomb Beside East Churchyard Boundary Wall And To The East Of The Parish Church Of St Mary	Grade II	0.5 miles



		Nursery	Primary	Secondary	College	Private
1	The Icknield Primary School Ofsted Rating: Good Pupils: 200 Distance:0.21	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2	The Bellbird Primary School Ofsted Rating: Good Pupils: 415 Distance:0.43	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3	Sawston Village College Ofsted Rating: Good Pupils: 1162 Distance:0.62	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4	Babraham CofE (VC) Primary School Ofsted Rating: Outstanding Pupils: 91 Distance:1.3	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5	William Westley Church of England VC Primary School Ofsted Rating: Good Pupils: 186 Distance:1.42	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6	Stapleford Community Primary School Ofsted Rating: Good Pupils: 215 Distance:1.58	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7	Great and Little Shelford CofE (Aided) Primary School Ofsted Rating: Good Pupils: 208 Distance:2.33	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8	Duxford Church of England Community Primary School Ofsted Rating: Good Pupils: 172 Distance:2.52	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>




Nursery Primary Secondary College Private

9	Great Abington Primary School	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Ofsted Rating: Good Pupils: 133 Distance:2.65					
10	Hauxton Primary School	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Ofsted Rating: Good Pupils: 90 Distance:3.37					
11	The Netherhall School	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Ofsted Rating: Good Pupils: 1229 Distance:3.68					
12	Trumpington Park Primary School	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Ofsted Rating: Good Pupils: 403 Distance:3.76					
13	Thriplow CofE Primary School	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Ofsted Rating: Good Pupils: 102 Distance:3.8					
14	Queen Edith Primary School	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Ofsted Rating: Good Pupils: 422 Distance:3.83					
15	Homerton Early Years Centre	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Ofsted Rating: Outstanding Pupils: 118 Distance:3.86					
16	Cambridge Academy for Science and Technology	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Ofsted Rating: Good Pupils: 431 Distance:3.9					


Area Transport (National)

CC&C




National Rail Stations

Pin	Name	Distance
1	Whittlesford Parkway Rail Station	1.79 miles
2	Shelford (Cambs) Rail Station	2.16 miles
3	Great Chesterford Rail Station	4.76 miles



Trunk Roads/Motorways

Pin	Name	Distance
1	M11 J10	2.66 miles
2	M11 J9	4.44 miles
3	M11 J11	3.87 miles
4	M11 J12	6.11 miles
5	M11 J13	7.2 miles




Airports/Helipads

Pin	Name	Distance
1	Cambridge	5.37 miles
2	Stansted Airport	16.81 miles
3	Luton Airport	29.24 miles
4	Silvertown	43.57 miles

Area Transport (Local)

CC&C



Bus Stops/Stations

Pin	Name	Distance
1	Grove Road	0.04 miles
2	Ashley Way	0.14 miles
3	Sunderland Avenue	0.23 miles
4	Churchfield Avenue	0.28 miles
5	Churchfield Avenue	0.29 miles

Cooke Curtis & Co

Data Quality

We are committed to comprehensive property data being made available upfront to make the home buying and selling process quicker, easier and cheaper. This is why we have partnered with Sprift, the UK's leading supplier of property-specific data.

Powered by



Contains public sector information licensed under the Open Government License v3.0

The information contained within this report is for general information purposes only.

Sprift Technologies Ltd aggregate this data from a wide variety of sources and while we endeavour to keep the information up to date and correct, we make no representations or warranties of any kind, express or implied, about the completeness, accuracy, reliability, of the information or related graphics contained within this report for any purpose.

Any reliance you place on such information is therefore strictly at your own risk. In no event will we be liable for any loss or damage including without limitation, indirect or consequential loss or damage, or any loss or damage whatsoever arising from loss of data or profits arising out of, or in connection with, the use of this report.



Cooke Curtis & Co

40 High Street Trumpington Cambridge
CB2 9LS
01223 508 050
jessica@cookecurtis.co.uk
www.cookecurtis.co.uk

